

Black Horse Pike Regional High School

Fabrication Laboratory

All RFP's must be received by the Board of Education Board Secretary/Business Administrator no later than 1:00 p.m. on Tuesday, April 29, 2014 at the Board of Education office located at 580 Erial Road, Blackwood, New Jersey 08012. All questions concerning this notice should be addressed to the Board Secretary/Business Administrator, Jean Grubb at 856-227-4106.

General Requirements

1. It is the prime intent of these specifications to show and define the essential minimum requirements regarding the scope and quality of this laboratory system.
2. All bidders must be prepared to show the following proof of their ability to perform under this contract. Failure to meet any of the requirements and qualifications will be sufficient cause for rejection of any or all bids.
 - a) Minimum of five (5) years' experience in providing student directed curriculum.
 - b) Minimum of ten (10) completed installations of equal size and requirements which can be inspected prior to award of contract.
 - c) Financial and technical resources of sufficient scope to assure prompt and satisfactory performance in the production and delivery of all equipment and workstations specified.
3. The owner reserves the right to reject the bidder if, in his opinion, such bidder cannot meet the requirements of these specifications, or has a past record of poor performance.
4. Bidder's proposed curriculum, equipment and workstations may be inspected by the owner at the equipment manufacturer's plant prior to shipment. Any products found not to be in accordance with these specifications may be rejected. All rejected products (curriculum, equipment or workstations) must be promptly replaced at no cost to the owner.
5. Bidder's submitting "OR EQUAL" bids shall include descriptive and illustrative literature and samples of all curriculum materials covering the items proposed with the bid. When bidding "OR EQUAL", bidder must indicate brand/model numbers for each item, as well as supporting comparative rationale.
6. Bidders submitting "ALTERNATE" bids shall include descriptive and illustrative literature for the products proposed including brand/model numbers for each item, as well as supporting comparative rationale.

7. Responsible bidder to have on staff and be able to demonstrate capabilities, a proper in-house support staff and on-site technical support.
8. Each lab is to include delivery, installation and training. Responsible vendor will need to be able to demonstrate the products running properly before final sign off by school.
9. All bids must be comprehensive, including all proceeding items detailed within the bid specifications. Partial bids will not be accepted.
10. All documents returned to the Board shall be signed with an original signature in ink (blue). Failure to sign and return all required documents with the bid package may be cause for disqualification and for the bid to be rejected pursuant to N.J.S.A. 18A:18A-2(y) (non-responsive). The Board will not accept facsimile or rubber stamp signatures.

*Forms provided by the Board of Education that must be returned with proposal.

- Proposal Form
- Affirmative Action Questionnaire or Affirmative Action Evidence
- Non Collusion Affidavit
- Stockholders' Disclosure/ Ownership Declaration
- Contractor/Vendor Questionnaire and Certification
- Disclosure of Investment Activities in Iran
- Chapter 271 – Political Contribution Disclosure Form

*Please check your bid package for these forms!

11. The successful respondent to whom the contract is awarded any service work or construction work shall provide to the Board of Education with contract documents for General Liability Insurance Certificate with the following limits:

\$1,000,000 Products

\$2,000,000 General Aggregate

The insurance certificate name as to the certificate holder shall be as follows:

The Black Horse Pike Regional Board of Education

c/o The Business Office

580 Erial Road, Blackwood, NJ 08012

The insurance certificate shall remain in full force during the term of contract. The contractor is to assume all liability of every sort of incident to the work, including property damage caused by them or their employees or by any subcontractor employed by them or any subcontractor's employee.

12. Pursuant to N.J.S.A. 52:32-44 as amended by P.L. 2004 – Chapter 57, all respondents shall submit with their proposal package a copy of their "New Jersey Business Registration Certificate" as issued by the Department of Treasury of the State of New Jersey. Failure to provide the New Jersey Business Registration Certification with the proposal package, or prior to the award of contract, will be cause for the rejection of the entire proposal.

13. Pursuant to N.J.S.A. 18A:18A-24 all respondents shall submit with their proposal a bid guarantee and bonding requirements.

Please note: The name, address, and phone number of the Bond Underwriter as well as the Bond Number

shall be included with all bonds submitted to the Board of Education.

A. Bid Guarantee ☒ REQUIRED ☐ NOT REQUIRED

Each bid when required shall be accompanied by a bid bond, cashier's check or certified check in the amount of \$ _____ (_____dollars), made payable to the Black Horse Pike Regional Board of Education.

When required, each bid shall be accompanied by a bid bond, cashiers or certified check for ten per cent (10%) of the amount of the total contract, but not in excess of \$20,000. This guarantee shall be made payable to the Black Horse Pike Regional Board of Education. Such deposit shall be forfeited upon refusal of a bidder to execute a contract; otherwise, checks shall be returned when the contract is executed and surety (performance) bond is filed with the Black Horse Pike Regional Board of Education.

The bid security check for unsuccessful bidders will be returned as soon after the bid opening as possible but in no event later than (10) days after the bid opening.

Uncertified business checks, personal checks or money orders are not acceptable.

All bid bonds submitted must be signed and witnessed with original signatures. The Board will not accept facsimile or rubber stamp signatures on the bid bond. Failure to sign the bid bond by either the Surety or Principal shall be deemed cause for disqualification of the bid. The Attorney-in-Fact who executes the bond on behalf of the surety shall affix to the bond a certified and current copy of the Power of Attorney.

The Black Horse Pike Regional Board of Education will only accept bid bonds from companies that are licensed and qualified to do business in the State of New Jersey. Such a list (Approved Surety Companies) may be available upon request to the State of New Jersey, Department of Banking and Insurance, P.O. Box 325, Trenton, New Jersey 08625.

Failure to submit a bid guarantee when required shall be cause for disqualification and rejection of bid.

B. Certificate (Consent) of Surety ☐ REQUIRED ☒ NOT REQUIRED

When required, each bidder shall submit with its bid a certificate from a surety company stating that the surety company will provide the contractor with a performance bond in an amount equal to the amount of the contract (N.J.S.A. 18A:18A-25). Such surety company must be licensed and qualified to do business in the State of New Jersey. The certificate (consent) of Surety, together with a power of attorney, must be submitted with the bid. *Failure to submit the certificate (consent) of Surety will be cause for disqualification and rejection of bid.*

C. Performance Bond

☐ REQUIRED

☒ NOT REQUIRED

When required, the successful bidder shall furnish a Performance, Payment and Completion Bond in a sum of at least one hundred percent (100%) of the total amount payable by the terms of this Contract. Such written guarantee shall be made payable to the Black Horse Pike Regional Board of Education and shall be in the form required by Statute. For this bid, the Board requires a performance bond in the amount of \$ _____ (_____ dollars).

Such bond shall further carry a stipulation that no advance, premature, excessive or delayed payments by the Owner shall in any way affect the obligation of the Surety on its bond.

Such bond shall further stipulate that no payments made to the Contractor, nor partial or entire use of occupancy of the work by the Owner shall be an acceptance of any work or materials not in accordance with this Contract and the Surety shall be equally bound to the same extent as the Contractor.

It is expressly stipulated that the Surety for the Contractor on the project shall be obligated to make periodic inquiries of the Owner at reasonable times, to determine whether its Principal has performed or was performing the Contract in accordance with all of its terms and conditions, particularly in relation to the progress payments scheduled under said Contract with the Owner.

In the event the Contractor defaults or fails to perform or finish the work prescribed under the Contract for any reason whatsoever, it shall become the unqualified obligation of the Surety for the defaulting contractor to complete the Contract in accordance with its terms following receipt of notice from the owner of such default.

The Contractor shall execute a formal contract with the Board in the form required and in such number of counterparts as the Board may request. Such Performance, Payment and Completion Bond shall be furnished and such Contracts shall be executed and delivered by the contractor within ten (10) days after the receipt by the contractor of notice accepting his bid by the Board.

The Black Horse Pike Regional Board of Education will only accept performance bonds from surety companies that are licensed and qualified to do business in the State of New Jersey.

Any questions regarding this Request for Proposals should be directed to Jean Grubb, School Business Administrator of the Black Horse Pike Regional School District.

Please submit two (2) copies of the proposal to:

**Black Horse Pike Regional School District
580 Erial Road
Blackwood, New Jersey 08012
856-227-4106**

All Submissions must be received at the School District's Administrative Office by Tuesday, April 29, 2014, no later than 1:00 p.m. at which time they will be publicly opened.

Laboratory items to be as follows:

(1) Complete Fabrication Laboratory Package to consist of the following:

(2) #708115K 14" Closed Stand Bandsaw

Item to be as follows:

Product Features

- 6" depth resaw capacity for cutting larger pieces of wood
- 15" x 15" offset cast iron table gives you more work area in front of the blade
- Cast iron frame construction for strength and rigidity, reduced vibration
- 4" dust port allows for direct connection of dust collection system
- Precision computer balanced wheels eliminate vibration for accurate blade tracking
- Single knob tracking adjustment simplifies the blade tracking process
- Micro-adjustable lower blade guide reduces set up time and makes adjustments easier
- Graphite impregnated polymer blade guides with roller bearing thrust guides provide quicker set-up and a cooler running blade
- Six-spoke band wheels computer balanced to spin true without vibration
- 3/8", 6 TPI woodworking blade is included so you can start cutting right away

Specifications

Band Saw Size/Wheel Diameter (In.)	14
Cutting Capacity Width (In.)	13-1/2
Cutting Capacity Height (In.)	6
Blade Length (In.)	93-1/2
Blade Speed (SFPM)	3,000
Table Size (L x W) (In.)	15 x 15
Maximum Saw Blade Width (In.)	3/4
Minimum Saw Blade Width (In.)	1/8
Table Tilt (Deg.)	10 L, 45 R
Table Height from Floor (In.)	43-1/2
Dust Collection Minimum CFM Required (CFM)	300
Dust Port Outside Diameter (In.)	4
Motor Power (HP)	1
Motor Phase	1
Stand Type	Closed
Motor Voltage (V.)	115, 230
Prewired Voltage (V.)	115
Motor Current (Amps.)	10, 5

(1) #354173**17" Drill Press**

Item to be as follows:

Part Number	354173
Swing	16½ "
Spindle Travel	4 3/8 "
Spindle Distance to Table (max)	29 1/8 "
Spindle Distance to Base	49 "
Spindle Speed	200 - 3620 RPM
Spindle Taper	MT-2
Drilling Capacity	5/8 "
Chuck Size	5/8 "
Column Diameter	3 1/8 "
Table Size	14 x 18 "
Table Tilt	+/- 180 °
Table Size Extended (L x W)	n.a.
Base Size	11 1/8 x 19 5/8 "
Fence Size (L x H)	n.a.
Motor Power	¾ HP
Motor Voltage	115 / 230 V
Prewired Voltage	115 V
Motor Current	9 / 4.5 A
Motor Phase	1 Ph
Spindle Speeds	16
Model Number	JDP-17DX
Brand	Jet
Height	65.125 inch
Width	12.8 inch
Length	23.5 inch
Net Weight	209 pound

(1) #DWS780**12" Double Bevel Sliding Compound Miter Saw**

Item to be as follows:

Product Features

- Integrated XPS cross cut positioning system provides adjustment free cut line indication for better accuracy and visibility
- Powerful 15 Amp, 3,800 rpm motor delivers extended power and durability
- Super-efficient dust collection system captures over 75% of dust generated
- Tall sliding fences support crown molding up to 7-1/2" nested and base molding up to 6-3/4" vertically against the fence while easily sliding out of the way for bevel cuts
- Exclusive Back Fence Design cuts up to 2x16 dimensional lumber at 90° and 2x12 at 45°
- Adjustable stainless steel miter detent plate with 10 positive stops improves productivity and accuracy

- Miters 60° to the right and 50° to the left providing increased capacity
- Oversized bevel scale makes bevel angle adjustments accurate and easy
- Compact, lightweight design (56 lbs.) allows for easy transport and storage
- Cam lock miter handle with detent override deliver quick and accurate miter angles
- Dual horizontal steel rails with innovative clamping mechanism and linear ball bearings deliver an accurate, durable and compact saw
- Innovative gearbox and belt-drive design increases vertical cutting capacity
- Precise miter system and machined base fence support optimize durability and cutting accuracy

Specifications

Blade Diameter	12"
Amps	15Amps
No Load Speed	3,800rpm
Arbor Size	5/8" or 1"
Vertical Capacity: Baseboard Against Fence	6-3/4"
Vertical Capacity: Crown Molding Vertically Nested	7-1/2"
Horizontal Capacity: Baseboard Lying Flat	16"
Horizontal Capacity: Crown Molding Lying Flat	13-3/4"
45° Bevel Cut Capacity (dimensional lumber)	2x14 (2x16 with back fence)
90° Cross-Cut Capacity (dimensional lumber)	2x14 (2x16 with back fence)
90° Cross-Cut Capacity (Max Width)	16"
45° Miter Cut Capacity (Max Height and Width)	2x12
Tool Weight	56lbs
Shipping Weight	66lbs

(1) #708595 Benchtop 6" x 48" Belt / 9" Disc Sander

Item to be as follows:

The unique JSG-96 Benchtop Sander combines a 9" disc and 6" x 48" belt for workshop versatility. While small and compact, the JSG-96 offers industrial 3/4 HP power while taking up a small footprint on your bench. A quick-release belt tension lever makes belt changes fast and easy while a quick-lock dust cover allows fast disc changes.

Model Number	JSG-96
Brand	Jet
Overall Dimensions	16 x 29 x 28-1/2
Height	16.1 inch
Width	24.9 inch
Length	28.2 inch
Net Weight	100 pound
Gross Weight	100 pound
Style	Benchtop
Belt Size (L x W)	48 x 6 "
Belt Speed	2258 sfpm
Belt Table Size (L x W)	11 x 5 1/2 "
Belt Table Tilt	10 ° up, 45 ° down
Disc Diameter	9 "

Disc Speed	1725 RPM
Disc Table Size (L x W)	12 x 7 1/2 "
Disc Table Tilt	10 ° up, 45 ° down
Dust Port Outside Dia.	4 "
Motor Power	3/4 HP
Motor Voltage	115 V
Prewired Voltage	115 V
Motor Current	11 A
Motor Phase	1 Ph

(5) #49-350 Safe Start Units

Item to be as follows:

The safe start unit prevents accidental machine start up after a power lost.

The safe start unit works with 110VAC, single phase, non-magnetic starter based conventional machinery. In the event that power is lost during machine operation (i.e. power failure), the safe start unit will trip disconnecting power to prevent the machine from starting back up after the power is restored. The machine can then be safely reactivated by turning off the machine, pressing the reset button/switch on the safe start unit, and then turning the machine back on.

(1) #M-29 DRILL BIT SET

Item to be as follows:

Jobber Drill Bit Set, Material Cobalt High Speed Steel, Dimension Type Fractional Inch, Number of Pieces 29,

Sizes Included 1/16 In., 5/64 In., 3/32 In., 7/64 In., 1/8 In., 9/64 In., 5/32 In., 11/64 In., 3/16 In., 13/64 In., 7/32 In., 15/64 In., 1/4 In., 17/64 In., 9/32 In., 19/64 In., 5/16 In., 21/64 In., 11/32 In., 23/64 In., 3/8 In., 25/64 In., 13/32 In., 27/64 In., 7/16 In., 29/64 In., 15/32 In., 31/64 In., 1/2 In., Point Angle 135 Degrees, Finish Gold Oxide.

(10) #BSB BANDSAW BLADE

Item to be as follows:

1/2" x 1/4" Bandsaw Blade. High tensile strength. Fits 14" band saw.

(1) ICS31230-52 SAWSTOP 10" TABLE SAW

Standard Features:

- 3HP 1PH, 230 volt motor.
- 52-1/2" ripping capacity with 52" rails
- 13/16" maximum dado width, 5/8" arbor diameter, 4" dust collection port diameter.
- 3-1/8" maximum depth of cut @ 0°, 2-1/4" maximum depth of cut @ 45°.
- 52" fence system, 52" extension table
- Riving knife, Dust collection blade guard, Tool free zero clearance insert.
- Standard 10" brake cartridge, 60 Tooth carbide tip blade.
- MB-IND-000 Mobile Base for industrial grade cabinet saw.
- European style riving knife to minimize kickback
- Low profile blade guard for narrow cuts
- Quick-change mount for guard and riving knife
- Large start/stop paddle for hands-free shut off
- Main power switch with removable lock-out key
- Magnetic contactor motor control
- Blade shroud for improved dust collection
- Zero-clearance insert
- Extra heavy castings
- Widely spaced trunnions
- Infinitely adjustable trunnion assembly for precision alignment
- Cast iron extension wings
- Vertical slide blade elevation for increased stability
- Long-lasting V-ribbed belts
- 8" cast iron handwheels

(1) #GX-400 40" CAMM-1 Pro Cutter – Sign Maker

Item to be as follows:

GX Pro vinyl cutters use digital servomotors to achieve maximum accuracy and cutting speeds up to 33 inches per second. The professional-grade cutter also features a curve-smoothing function that allows precise cutting even at high speeds. The result is faster production and better looking graphics.

The GX Pro series accepts a wide range of materials. It cuts vinyl, paint mask, reflective vinyls, twill, heat transfer and sandblast material.

With front and rear loading, you can feed media backward for a specified page distance, then cut and feed the media forward.

The front panel on the GX Pro includes buttons for frequently used settings such as blade force, cutting speed and origin point. It stores cutting conditions for up to eight pre-set jobs, including cutting speed, blade offset, blade force, tool movement speed during tool-up and cutting mode.

GX Pro vinyl cutters include Roland CutStudio design software. CutStudio lets designers quickly and easily enlarge, reduce, re-position, rotate and mirror images. BMP, JPG, STX, AI, and EPS file formats are all supported.

The GX Pro series works with all professional sign making software. Plugins for Adobe Illustrator (Mac and PC) and Corel Draw (PC) are also included.

SPECIFICATIONS

Cutting method	Media-movement method
Driving method	Digital control servo motor
Maximum cutting area	39 x 984-1/8" (1000 x 24,998mm)
Acceptable media width	3-1/2 to 46" (90 to 1178mm)
Maximum cutting speed	During cutting: 33ips (850mm/sec.) [in all directions] During tool-up: 47 ips (1202mm/sec) [in 45° direction]
Cutting force	20 to 350 gf
Mechanical resolution	0.00049"/step (0.0125mm/step)
Software resolution	0.00098"/step (0.025mm/step)
Distance accuracy	Error of less than $\pm 0.2\%$ of distance traveled, or 0.00039 (0.1mm), whichever is greater 0.1mm or less (excluding stretching/contraction of the material)
Repetition accuracy	Range for assured repetition accuracy For materials with a width exceeding 24" (610mm): Length 157-7/16" (4000mm) (GX-400/500 only) For materials with a width of 24" (610mm) or less: Length 314-15/16" (8000mm)
Interface	Serial (RS-232C compatible), USB (Rev. 1.1)
Buffer size	8MB (2MB for re-plot buffer)
Power supply	AC 100V to 240V $\pm 10\%$ 50/60Hz 1.1A
Power consumption	Approx. 100W
Acoustic noise level	Cutting mode: under 62 dB (A) Standby Mode: under 40 dB (A) (According to ISO 7779)
Dimensions with stand	55-3/8(W) x 28-5/8(D) x 43-13/16"(H) 1407(W) x 727(D) x 1113mm(H)
Weight with stand	112.4lb. (51 kg)
Operating temperature	41 to 104F (5 to 40C)
Operating humidity	35 to 80% (non-condensing)
Standard accessories	Power cord, blade, blade holder, alignment tool, cable clamp, replacement blade for separating knife, Roland Software Package CD-ROM (CutStudio design software, plug-ins for CorelDraw 10/11/12 and Adobe Illustrator 9/10/CS), startup guide, user manual

ALSO INCLUDES

GXBASKET-40 Media Catch Basket
GXCOVER-40 Protective Fabric Cover

**(1) #EZ-60X60/
EZ-SERVOUPG**

60" X 60" CNC ROUTER

Item to be as follows:

The 5' X 5' ez Router is great for production jobs. The standard features are configured as a 3 axis router.

Features

- Extremely durable 100% welded quality steel construction
- All steel and aluminum is made in the US
- High quality Delta EMI filters and AC drives standard equipment
- User-friendly operation interface
- Dual motor driven Y axis
- Protective E-Chain for all cables, hoses, lines, etc.
- Computer Control System
(Flat Screen Monitor, Keyboard, and Laser Mouse Included).
- Computer Specs
- Standard LPT printer port direct connection
- Machine is fully assembled, ready to cut*

Specifications

Cutting Size (X,Y,Z):	60" X 60" X 6"
Footprint Size (W x L):	94" x 93"
Weight:	1400lbs.
Rapid Traverse Speeds:	750 ipm standard, with servo motors 1,000 ipm
Positioning Speeds (X, Y, Z):	800, 800, 600 ipm
Step Resolution:	.0005"
Positioning Accuracy:	.002"
Cutting Accuracy:	(+/-) .010" standard, with servo motors (+/-) .005"
Axis Drive System (X,Y,Z):	Rack and Pinion
Standard Work Surface:	MDF Bed
Aluminum Dust Foot w/Brushes	(4" Hose Connection)
spindle power	110V, 1PH, powered through the machine controller
Machine controller	hard wired 115V, 1PH, 30A dedicated circuit
Computer controller	115V, 1PH dedicated circuit recommended with Ethernet port

Package includes:

- Upgrade to servo motors
- T-slot bed
- Clamping kit for t-slot table
- 4th axis rotary
- (1) Copy of MasterCAM X7 CAD/CAM Educational Software

(1) # 680-40003-B

STRATASYS DIMENSION
ELITE 3D PRINTER 3 YR COMPREHENSIVE
PACKAGE

Functionality & Automatic

Catalyst software automatically imports STL files and orients the parts, slices the file and generates support structures (if necessary) and

Operation:	creates a precise deposition path to build the part. Multiple parts can be packed within the build envelope to maximize efficiency. Catalyst software provides queue management capabilities, build time, material status and other machine status information. Dimension runs unattended and can provide system status and build completion information via e-mail, pager, or the Internet.
Network Connectivity:	TCP/IP 100/10 base T
Workstation Compatibility:	Windows XP / Windows Vista / Windows 7
Build Size:	Maximum size 203 x 203 x 305 mm (8x8x12 inches)
Materials:	ABSplus in ivory, black, red, olive green, nectarine, fluorescent yellow, blue or gray
Support Structures:	Catalyst software automatically creates any needed support structures to complete the part. Soluble Support Technology (SST)
Material Cartridges:	Auto load cartridges with (56.3 cu in) ABS BUILD material and Auto load cartridges with (56.3 cu in) support material
Layer Thickness:	.178 mm (.007 in) or .254 mm (.010 in) of precisely deposited ABSplus model and support material
Size and Weight:	686 x 914 x 1041 mm (27 x 36 x 41 in) 136 kg (300 lbs) Weight: 136 kg (300 lbs.)
Power Requirements:	110–120 VAC, 60 Hz, minimum 15A dedicated circuit; or 220–240 VAC 50/60 Hz, minimum 7A dedicated circuit
Includes:	1-Case of Soluble Concentrate (2) Educational Bonus Material Package Including: <ul style="list-style-type: none"> - 10 ABS Model Material Cartridges - Ivory - 4 Soluble Support Material Cartridges - 2 Boxes of 24 Plastic Foundations (1) Educational Bonus Material Package (Color) Including: <ul style="list-style-type: none"> - 10 ABS Model Material Cartridges – (2) Black; (2) Red; (2) Blue; (2) Nectarine; (2) Fluorescent Yellow - 4 Soluble Support Material Cartridges - 2 Boxes of 24 Plastic Foundations Catalyst Software User Guide 1-Year Warranty (2) Additional years of system maintenance Start-up Supply Kit <ul style="list-style-type: none"> - Needle nose pliers - Gloves - Putty knife - Cutters - Brushes - Grease - Allen wrench set - Screw driver - Nut driver - Replacement tip shroud

- Replacement brush tip wipe
- (5) replacement flicker tip wipe
- Network and USB cable

Also Includes:

(1) SCA-1200 Soluble Support Cleaning Station

Machine setup and orientation

#550-30001 Mobile Dimension Stand with Storage

Stand designed to match the footprint of a Dimension Elite 3D printing machine. Stand is also color matched to the Dimension Elite. Includes a storage compartment for material storage and includes casters for mobility.

Customer to provide a network connection (with static or dynamic IP address), Windows XP/7 computer/s with software that can create STL files. Customer is also to provide a stand/table and a support cleaning station.

(1) #680-50305-C Stratasys Dimension uPrint SE 3D Printer - 3-Year Comprehensive Print Pack

Item to be as follows:

Functionality & Automatic Operation:

uPrint SE™ 3D Printers are powered by Stratasys' patented FDM® (Fused Deposition Modeling™) technology. It's the 3D printer on which thousands of design engineers test their designs.

Its highly advanced, powerful, stable platform is made to work seamlessly with CAD software – and it's the reason no other 3D printer compares with the uPrint SE. Plus, by producing models in house instead of outsourcing to a service bureau, you can keep your most ground-breaking product designs confidential.

What's more powerful: Showing a flat drawing, or a three-dimensional model everyone can hold? Through every design iteration, the uPrint SE turns your ideas into strong, functional models ready for collaboration and testing.

uPrint SE 3D Printers build accurate, stable 3D models in ABSplus plastic. They're ideal for determining form, fit and function in everything from ergonomics to manufacturing processes. These aren't fragile lab beauties either. ABSplus is stronger than materials typically used by competitive 3D printers.

And, when it's time to test your concepts, ABSplus models stand up to functional testing. You'll get more quality feedback, resulting in a better product. With a footprint of just 635 x 660 mm (25 x 26 in), uPrint SE's ability to produce quick, inexpensive models will help you efficiently review multiple concepts right from your desk.

Only uPrint SE makes 3D printing so affordable and trouble-free. Outsourcing

your prototypes can take days and cost hundreds of dollars. A uPrint SE 3D Printer can create the same prototype in just hours – for a fraction of the cost.

Conquer deadline pressures and speed your projects to conclusion with help from a uPrint SE 3D Print Pack. It's easy to use, affordable, and fits right into your daily workflow.

Whatever your profession – designer, engineer or teacher – there's room on your desk and in your budget for a uPrint SE 3D Printer.

The uPrint SE 3D Print Pack includes everything you need to start making durable, accurate 3D models in ABSplus plastic.

With uPrint SE 3D Printers, Making Models Is As Easy As 1-2-3.

1. Prepare the file. Create your 3D model in CAD software, then click “print.” CatalystEX™ software converts your CAD system's STL output into 3D model print paths, including support structures, that guide the uPrint SE 3D Printer extrusion head.
2. Print your model. uPrint SE Printers use FDM Technology™ to build your 3D model and its support material, layer by layer, from the bottom up on a removable modeling base.
3. Remove supports. Take your printed model out of the uPrint SE 3D Printer build chamber, pop it off the modeling base and dissolve away the soluble support material using the SCA Support Cleaning System.

SPECIFICATIONS:

Network Connectivity:

Ethernet TCP/IP 10/100 base T

Workstation Compatibility:

Windows® XP / Windows® 7

Build Size:

(8 x 6 x 6 in)

Model Material for the uPrint SE:

Uses ABS plus plastic in ivory.

Support Structures:

CatalystEX software automatically creates any needed support structures to complete the part. The uPrint SE offers a soluble support removal process.

Material Cartridges:

Cartridges with (42 cu in) ABS PLUS build material spool and cartridges with (42 cu in) support material spool.

Layer Thickness:

.254 mm (.010 in)

Size and Weight:

Uprint SE printer with one material bay:
635 (w) x 660 (d) x 787 (h) mm (25 x 26 x 31 in) 76 kg (168 lbs)

Power Requirements:

uPrint SE
100–127 VAC 50/60 Hz, minimum 15A dedicated circuit or 220–240 VAC 50/60 Hz,
minimum 7A dedicated circuit.

SCA-1200 Support Cleaning System
100-120vac, 60Hz, 15amp

Special Facility Requirements:

Table for the 3D Printer and Cleaning station. Standard water source and drain access for SCA Cleaning System.

3-Year Comprehensive Print Pack includes the following:

- uPrint SE Machine with (1) Material Bay
- 3-Year Warranty – Consists of the standard 1-year warranty plus 2-additional years of the system maintenance program (extended warranty).
1-Year Warranty for the SCA-1200 Cleaning Station
- (1) Start-up Supply Kit
- (3) uPrint SE Educational Bonus Material Package (Ivory) to include:
 - (10) P430XL ABSplus Model Material Spools (Ivory)
 - (3) SR-30XL Soluble Support Material Spools
 - (2) Boxes of Plastic Modeling Bases (24 per box)
- (1) CatalystEX Software
- (1) User Guide
- (1) SCA-1200 Soluble Support Cleaning Station with (1) case of WaterWorks Soluble Concentrate

Also included:

Machine setup , on-site training and tech support via 800-phone, e-mail and on-site.

#140818B Uprint 3D Printer Mobile Cart with Storage

Customer will need to provide an Ethernet network connection and IP address. PCs on the network using the CatalystEX software must have software capable of creating STL files. Stratasys requires a 115vac 15amp dedicated circuit. The soluble support cleaning station requires 115vac electrics and access to water source and drain.

General Interior Concepts Product Specifications

General Panel Specifications - Panel construction details and surface materials should be selected from the following information:

- **Panel Frame Specifications**

1. All panel frames are one inch thick, constructed of one inch square 16-gauge steel tubing finished with an epoxy powder coat available in beige, gray, or charcoal (custom colors are available upon request). The steel tubing is assembled through the use of patented zinc cast corner connectors with nylon sleeves which are installed through a one-quarter turn of the steel tubing after the corner connectors have been placed on the tubing ends. As required, frame will be slotted in 1" increments on the tube corners to accept hang-on components.
2. All panel frames shall be joined with a positive locking connector, die cast in zinc, with a tension strength of 800 lb. pull and a shear strength of 2,000 lbs., requiring only a 1/8 turn to lock tubes firmly on joints for the full 2" of the connector. No hammering nor gaskets shall be necessary in the assembly of this product to form a completely rigid interlock framing system.
3. Panel cores are inserted into the panel frame and held in place by a patented panel molding system of PVC plastic. This system allows for easy removal and replacement of panel cores without disturbing the panel frames and components.

Panel Core Specifications

- **Melamine Panel Core**

Melamine panels are constructed of a 3/4 inch high density particle board core with a two-sided thermally-fused melamine covering. This thermally-fused process exceeds the performance standards set by the American National Standards Institute (ANSI).

General Worksurface Specifications

Worksurfaces are constructed of 1.13 inch thick high density particle board with a writing surface of high pressure laminate and a balancing laminate backer sheet on the underside of the worksurface. Worksurfaces include one inch radius front and side corners with vinyl edge molding in beige, gray, and charcoal to closely match the laminate colors. Worksurfaces support is included with all worksurfaces and meets/exceeds BIFMA load requirements.

Interior Concepts (Continued)

Worksurfaces are provided with 3" diameter wire holes with grommets (were called for based on workstation design) and are available with special corner and back notching for specialized usages, along with paper slots for computer printout paper. Worksurfaces are attached to metal framing members with a locking 14 gauge steel die cut slot tab. Slot tabs are inserted and locked into framing, worksurface is attached to slot tab with No. 10 Phillips Pan Head Screws. Worksurfaces are slot tab supported on three sides. Special sized slot tabs are used for worksurface height and adjustment to address handicap accessibility.

Specific ICC Workstation Furniture Specifications:

(1) #I7272L-C Instructor Workstation with Chase

- 73"w x 73"d x 33"h overall dimensions
- Full height chase at main work area
- Cable trough at return work area
- 29" Worksurface height
- 31" Overall depth at main work area
- 25" Overall depth at return work area
- Thermo-fused melamine covered panel inserts
- High Pressure Laminated Worksurface
- Includes (1) #EP18FFF Freestanding Storage Unit
- Includes (1) #EP18FBBF Freestanding Storage Unit

Must include professional furniture installation.

(16) #TMMPH2472 MOTION FLIP TOP TABLE W/ CASTERS

Item to be as follows:

Worksurfaces are 1.25" thick and finished with a high-pressure wear-resistant laminate writing surface with a balancing laminate backer sheet on the underside of the worksurface.

Laminate worksurface tops have 1" radius corners with edges in colors that coordinate with the leg finishes.

Strong metal-to-metal connections from leg to worksurface with threaded inserts and improved locking technology ensure durability.

Legs are constructed of heavy-gauge welded steel for maximum strength and stability.

A broad palette of laminates in solid colors, patterns, and wood grains makes it easy to maintain a consistent and coordinated look throughout your organization.

Tables are backed by a limited lifetime warranty; Visit interiorconcepts.com for additional warranty information.

Equipped with a durable quick-release handle, the flip-top worksurface rotates and locks vertically for space-saving nesting.

Dimensions: 24"D x 72"W x 29"H

(1) #WBB-12-30D-CL 12' WALL BENCH

Item to be as follows:

Wall benches are sturdily constructed of hard maple framing and hardwood paneling with natural finish.

Each base cabinet has one door and (3) drawers.

Includes a 2-1/4" thick maple top. Tops are manufactured of the finest grade northern grown maple. The lumber is seasoned and then kiln dried to a moisture content of six to eight percent. Strips of lumber are then electronically laminated with a special tight bonding glue to create a smooth surface. Natural finish.

WBB-12-30D-CL Configuration: (4) 29"H x 35"W x 28"D BC-37 Maple Base Cabinets with locks, (1) 144" x 30" x 2-1/4" Maple Top.

Base cabinets shall have 1-1/2" thick solid hard maple face frames with stiles and cross members mortised and tenoned, glued and stapled securely together. Face frames are routed to accept 3/4" veneercore end panels and bottom. End panels are routed to accept 1/2" back. Bottoms are fully supported from underneath. All members are glued and stapled to one another forming a strong, interconnected cabinet. No construction hardware is exposed on the front frame. End panels are slightly recessed into the frame to ensure flush frontal appearance.

Unit includes locks.

Overall Bench Dimensions: 31-1/4" x 144" x 30".

(2) # WRB-7 MOBILE SHOP CART

Item to be as follows:

These small portable units are ideal for a variety of shop applications, such as woodworking, tech ed, arts & craft areas, and for any of the multiple activities that take place in the elementary classroom.

Constructed of maple framing and paneling with natural finish. 1-3/4" thick maple top. Right end is fitted with 1/4" pegboard and hooks for tool mounting. Supplied with 5" locking casters.

Base cabinets shall have 1-1/2" thick solid hard maple face frames with stiles and cross members mortised and tenoned, glued and stapled securely together. Face frames are routed to accept 3/4" veneercore end panels and bottom. End panels are routed to accept 1/2" back. Bottoms are fully supported from underneath. All members are glued and stapled to one another forming a strong, interconnected cabinet. No construction hardware is exposed on the front frame. End panels are slightly recessed into the frame to ensure flush frontal appearance.

Complete with three locking drawers and locking door with adjustable shelf.

Overall size is 36"W x 24"D x 34"H.

(9) # WB255685 BOLTLESS SHELVING UNIT, 6'H, 5-SHELF

Item to be as follows:

Rugged steel shelving that features super-strong roll-formed steel framing with positive interlocking beam-and-post connections for quick assembly. All shelf levels also include double-rivet support for added rigidity. This unit includes 5/8" particleboard decking. Levels adjust at 1-1/2" increments and permit 4-way access. 14-gauge steel uprights measure 2-1/4" x 1-1/2". Durable gray baked enamel.

Overall dimensions: 24" x 48" x 72".

(1) #4.0BA15 Transit Task Chair W/Basic Task Control – Adjustable T Arms

Item to be as follows:

Description

Control has simple adjustments

Features

- Standard grade 2 fabric
- Swivels 360 degrees
- Gas cylinder seat height
- Available in a wide range of fabric colors
- Easy "no tools" assembly

Chair Configurations

4.0BA15 Swivel chair w/adjustable "T" arms

Dimensions

Depth: 22
Width: 23.5
Height: 43
Weight (in pounds)
37.00

(16) #718 STUDENT CHAIR

Item to be as follows:

All tubular-design, 1" diameter 14 gauge tubing legs and 1" diameter 14 gauge back tube. All frames are metallic arc welded with a series of "stitch welds" on each side of the leg support tube for added strength. Chrome plated finishing using 1" self adjusting glides.

Glides

1" diameter, short ferrule, Nevermar glides, with steel ball joint swivel.

Seat & Backs

5/8" thick posture consulted solid molded melamine plastic with smooth molded edges and permanent color throughout thickness.

Warranty

All NSL frames have a lifetime warranty
Seats & backs have a 2 year warranty

Overall height = 28"

Seat height = 17"

BLACK HORSE PIKE REGIONAL BOARD OF EDUCATION

Business Office
580 Erial Road
Blackwood, New Jersey 08012

Proposal Form

Title of Proposal

RFP – FABRICATION LABORATORY

The respondent by signing this proposal form, acknowledges that he/she has carefully examined the proposal specifications and documents; and further acknowledges he/she understands and is able to render the scope of activity and services outlined in the proposal

Name _____

Address _____

P.O. Box _____

City, State, Zip Code _____

Federal Tax ID Number _____

Phone Number () _____ Extension _____

Fax No. () _____ E-Mail _____

Authorized Agent _____ Title _____

Agent's Signature _____ Date _____

All proposals must be received no later than **Tuesday, April 29, 2014, 2:00 PM**. All proposals are to be sent to:

Mrs. Jean Grubb, Business Administrator
Board Secretary, Purchasing Agent
580 Erial Road
Blackwood, New Jersey 08012
Phone # 856-227-4106/Fax # 856-401-8763

AFFIRMATIVE ACTION QUESTIONNAIRE

This form is to be completed and returned with the bid. However, the Board will accept in lieu of this Questionnaire, Affirmative Action Evidence Employee Information Report.

1. Our company has a federal Affirmative Action Plan approval. ☐ Yes ☐ No

If yes, please attach a copy of the plan to this questionnaire.

2. Our company has a N.J. State Certificate of Employee Information Report ☐ Yes ☐ No

If yes, please attach a copy of the certificate to this questionnaire.

3. If you answered "NO" to both questions No.1 and 2, you must apply for an Affirmative Action Employee Information Report - Form AA302.

Please visit the New Jersey Department of Treasury website for the Division of Public Contracts Equal Employment Opportunity Compliance: www.state.nj.us/treasury/contractcompliance/

- Click on "Employee Information Report"
- Complete and submit the form with the appropriate payment to:

Department of Treasury
Division of Public Contracts/EEO Compliance
P.O. Box 209
Trenton, NJ 08625-0002

All fees for this application are to be paid directly to the State of New Jersey. A copy shall be submitted to the Board of Education within seven (7) days of the notice of the intent to award the contract or the signing of the contract.

I certify that the above information is correct to the best of my knowledge.

Name _____

Signature _____

Title _____ Date _____

Name of Company _____

Address _____

City, State, Zip _____

NON-COLLUSION AFFIDAVIT

Re: Proposal for the Black Horse Pike Regional Board of Education.

STATE OF _____)

Date: _____

:ss:

COUNTY OF _____)

I, _____ of the City of _____

in the County of _____ and the State of _____

of full age, being duly sworn according to law on my oath depose and say that:

I am _____
of _____

Position in Company

the firm of _____ and the bidder making the Proposal for the above names contract, and that I executed the said Proposal with full authority so to do; that I have not, directly or indirectly, entered into any agreement, participated in any collusion, discussed any or all parts of this proposal with any potential bidders, or otherwise taken any action in restraint of free, competitive bidding in connection with the above named bid, and that all statements contained in said Proposal and in this affidavit are true and correct, and made with full knowledge that the Black Horse Pike Regional Board of Education relies upon the truth of the statements contained in said Proposal and in the statements contained in this affidavit in awarding the contract for the said bid.

I further warrant that no person or selling agency has been employed or retained to solicit or secure such contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except bona fide employees of bona fide established commercial or selling agencies maintained by

(Print Name of Contractor/Vendor)

Subscribed and sworn to: _____

(SIGNATURE OF CONTRACTOR/VENDOR)

before me this _____ day of _____, _____.
Month Year

NOTARY PUBLIC SIGNATURE

Print Name of Notary Public

My commission expires _____, _____. – Seal –
Month Day Year

STOCKHOLDER/PARTNERSHIP DISCLOSURE AND STATEMENT OF OWNERSHIP

Re: Proposal for the Black Horse Pike Regional Board of Education.

Proposal Date: _____

Please check one type of Ownership. complete the form. and execute where provided.

<input type="checkbox"/> Corporation	<input type="checkbox"/> Limited Partnership
<input type="checkbox"/> Partnership	<input type="checkbox"/> Limited Liability Corp
<input type="checkbox"/> Sole Proprietorship	<input type="checkbox"/> Limited Liability Partnership
<input type="checkbox"/> Sub Chapter S Corp	<input type="checkbox"/> Other

No corporation "or partnership" shall be awarded any contract nor shall any agreement be entered into for the performance of any work or the furnishing of any material or supplies, the cost of which is to be paid with or out of any public funds, by the State or any county, municipality or school district, or any subsidiary or agency of the State, or by an authority, board or commission which exercises governmental functions, unless prior to the receipt of the bid or accompanying the bid of said corporation or said partnership, there is submitted a statement setting forth the names and all individual partners in the partnership who own a 10% or greater interest therein, as the case may be." If one or more such stockholder "or partner" is itself a corporation "or partnership", the stockholder holding 10% or more of that corporation "or partnership" the individual partners owning 10% or greater interest in that partnership, as the case may be, shall also be listed. The disclosure shall be, continued until names and addresses of every non-corporate stockholder, and individual partner, exceeding the 10% ownership criteria established in this act, has been listed.

IT IS MANDATORY THAT THIS FORM BE COMPLETED AND SUBMITTED WITH BID. In the event that there are no persons who own ten percent or more of the stock or ownership of the bidder, then such fact should be certified below as part of this disclosure.

Name of Company _____

Address _____

City, State, Zip _____

List of Owners with Ten Percent (10%) or More Interest

Owner's Name	Home Address	Title/Office Held	Percent (%) of Partnership Shares Owned

NOTE: If you need more space than that provided above, please use an extra sheet for furnishing the above required information for any remaining persons or entities.

Signature

Date

(form continued on next page)

To be completed and signed below.

STOCKHOLDER/PARTNERSHIP DISCLOSURE AND STATEMENT OF OWNERSHIP (con't)

If your firm is not a corporation and/ or partnership, please explain below how your firm is organized and include a list of the various principals.

Our firm, _____, is organized

Names of Principals

Title

Use additional paper if needed. Check here ☐ if additional sheets are attached.

Name of Company _____

Address _____

City, State, Zip _____

Authorized Agent _____ Title _____

SIGNATURE OF AUTHORIZED AGENT

Vendor Questionnaire/Certification

Fabrication Laboratory

Name of Company _____

Street Address _____ PO Box _____

City, State, Zip _____

Business Phone Number (____) _____ Ext. _____

Emergency Phone Number (____) _____

FAX No. (____) _____ E-Mail _____

FEIN No. _____

Years in Business _____ Number of Employees _____

References – Work previously done for School Systems in New Jersey

	<u>Name of District</u>	<u>Address</u>	<u>Contact Person/Title</u>	<u>Phone</u>
1.	_____	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____

Vendor Certification

Direct/Indirect Interests

I declare and certify that no member of the Black Horse Pike Regional Board of Education, nor any officer or employee or person whose salary is payable in whole or in part by said Board of Education or their immediate family members are directly or indirectly interested in this bid or in the supplies, materials, equipment, work or services to which it relates, or in any portion of profits thereof. If a situation so exists where a Board member, employee, officer of the board has an interest in the bid, etc., then please attach a letter of explanation to this document, duly signed by the president of the firm or company.

Gifts; Gratuities; Compensation

I declare and certify that no person from my firm, business, corporation, association or partnership offered or paid any fee, commission or compensation, or offered any gift, gratuity or other thing of value to any school official, board member or employee of the Black Horse Pike Regional Board of Education.

Vendor Contributions

I declare and certify that I fully understand N.J.A.C. 6A:23A-6.3(a1-4) concerning vendor contributions to school board members.

I certify that I am not an official or employee of the Black Horse Pike Regional Board of Education.

I further certify that I understand that it is a crime in the second degree in New Jersey to knowingly make a material representation that is false in connection with the negotiation, award or performance of a government contract.

President or Authorized Agent

SIGNATURE

C. 271 POLITICAL CONTRIBUTION DISCLOSURE FORM

Required Pursuant To N.J.S.A. 19:44A-20.26

This form or its permitted facsimile must be submitted to the local unit
no later than 10 days prior to the award of the contract.

Part I - Vendor Information

Vendor Name:			
Address:			
City:		State:	Zip:

The undersigned being authorized to certify, hereby certifies that the submission provided herein represents compliance with the provisions of N.J.S.A. 19:44A-20.26 and as represented by the instructions accompanying this form.

Signature

Printed Name

Title

Part II - Contribution Disclosure

Disclosure requirement: Pursuant to N.J.S.A. 19:44A-20.26 this disclosure must include all reportable political contributions (more than \$300 per election cycle) over the 12 months prior to submission to the committees of the government entities listed on the form provided by the local unit.

☐ Check here if disclosure is provided in electronic form.

Contributor Name	Recipient Name	Date	Dollar Amount
			\$

☐ Check here if the information is continued on subsequent page(s)

C. 271 POLITICAL CONTRIBUTION DISCLOSURE FORM

Page__ of __

[illegible]☐ Check here if the information is continued on subsequent page(s)

C. 271 POLITICAL CONTRIBUTION DISCLOSURE FORM

Contractor Instructions

Business entities (contractors) receiving contracts from a public agency that are NOT awarded pursuant to a "fair and open" process (defined at N.J.S.A. 19:44A-20.7) are subject to the provisions of P.L. 2005, c. 271, s.2 N.J.S.A. 19:44A-20.26). This law provides that 10 days prior to the award of such a contract, the contractor shall disclose contributions to:

- any State, county, or municipal committee of a political party
- any legislative leadership committee*
- any continuing political committee (a.k.a., political action committee)
- any candidate committee of a candidate for, or holder of, an elective office:
 - of the public entity awarding the contract
 - of that county in which that public entity is located
 - of another public entity within that county
 - or of a legislative district in which that public entity is located or, when the public entity is a county, of any legislative district which includes all or part of the county

The disclosure must list reportable contributions to any of the committees that exceed \$300 per election cycle that were made during the 12 months prior to award of the contract. See N.J.S.A. 19:44A-8 and 19:44A-16 for more details on reportable contributions.

N.J.S.A. 19:44A-20.26 itemizes the parties from whom contributions must be disclosed when a business entity is not a natural person. This includes the following:

- individuals with an "interest" ownership or control of more than 10% of the profits or assets of a business entity or 10% of the stock in the case of a business entity that is a corporation for profit
- all principals, partners, officers, or directors of the business entity or their spouses
- any subsidiaries directly or indirectly controlled by the business entity
- IRS Code Section 527 New Jersey based organizations, directly or indirectly controlled by the business entity and filing as continuing political committees, (PACs).

When the business entity is a natural person, "a contribution by that person's spouse or child, residing therewith, shall be deemed to be a contribution by the business entity." [N.J.S.A. 19:44A-20.26(b)] The contributor must be listed on the disclosure.

Any business entity that fails to comply with the disclosure provisions shall be subject to a fine imposed by ELEC in an amount to be determined by the Commission which may be based upon the amount that the business entity failed to report.

The enclosed list of agencies is provided to assist the contractor in identifying those public agencies whose elected official and/or candidate campaign committees are affected by the disclosure requirement. It is the contractor's responsibility to identify the specific committees to which contributions may have been made and need to be disclosed. The disclosed information may exceed the minimum requirement.

The enclosed form, a content-consistent facsimile, or an electronic data file containing the required details (along with a signed cover sheet) may be used as the contractor's submission and is disclosable to the public under the Open Public Records Act.

The contractor must also complete the attached Stockholder Disclosure Certification. This will assist the agency in meeting its obligations under the law. **NOTE: This section does not apply to Board of Education contracts.**

N.J.S.A. 19:44A-3(s): "The term "legislative leadership committee" means a committee established, authorized to be established, or designated by the President of the Senate, the Minority Leader of the Senate, the Speaker of the General Assembly or the Minority Leader of the General Assembly pursuant to section 16 of P.L.1993, c.65 (C.19:44A-10.1) for the purpose of receiving contributions and making expenditures."

BLACK HORSE PIKE REGIONAL BOARD OF EDUCATION

DISCLOSURE OF INVESTMENT ACTIVITIES IN IRAN

RFP: _____ Name of Company: _____

Pursuant to Public Law 2012, c.25, any person or entity that submits a bid or proposal or otherwise proposes to enter into or renew a contract must complete the certification below to attest, under penalty of perjury, that the person or entity, or one of the person or entity's parents, subsidiaries, or affiliates, is not identified on a list created and maintained by the Department of the Treasury as a person or entity engaging investment activities in Iran. If the Director finds a person or entity to be in violation of the principles which are the subject of this law, s/he shall take action as may be appropriate and provided by law, rule or contract, including but not limited to, imposing sanctions, seeking compliance, recovering damages, declaring the party in default and seeking debarment or suspension of the person or entity.

I certify, pursuant to Public Law 2012, c.25, that the person or entity listed above for which I am authorized to bid/renew:

- ☐ ***is not*** providing goods or services of \$20,000,000 or more in the energy sector of Iran, including a person or entity that provides oil or liquefied natural gas tankers, or products used to construct or maintain pipelines used to transport oil or liquefied natural gas for the energy sector of Iran, AND
- ☐ ***is not*** a financial institution that extends \$20,000,000 or more in credit to another person or entity, for 45 days or more, if that person or entity will use the credit to provide goods or services in the energy sector in Iran.

In the event that a person or entity is unable to make the above certification because it or one of its parents, subsidiaries, or affiliates has engaged in the above-referenced activities, a detailed, accurate and precise description of the activities must be provided in part 2 below to the Black Horse Pike Regional Board of Education under penalty of perjury. Failure to provide such will result in the proposal being rendered as non-responsive and appropriate penalties, fines and/or sanctions will be assessed as provided by law.

PART 2 – ONLY COMPLETE IF ENGAGING IN INVESTMENT ACTIVITIES IN IRAN

Part 2: Please provide further information related to investment activities in Iran

You must provide a detailed, accurate and precise description of the activities of the bidding person/entity, or one of its parents, subsidiaries or affiliates, engaging in the investment activities in Iran outlined above by completing the box below.

Name: _____ Relationship to Bidder/Offeror _____	
Description of Activities _____	
Duration of Engagement _____ Anticipated Cessation Date _____	
Bidder/Offeror Contact Name _____ Contact Phone Number _____	

Certification: I, being duly sworn upon my oath, hereby represent and state that the foregoing information and any attachments thereto to the best of my knowledge are true and complete. I attest that I am authorized to execute this certification on behalf of the above-referenced person or entity. I acknowledge that the State of New Jersey is relying on the information contained herein and thereby acknowledge that I am under a continuing obligation from the date of this certification through the completion of any contracts with the State to notify the State in writing of any changes to the answers of information contained herein. I acknowledge that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I recognize that I am subject to criminal prosecution under the law and that it will also constitute a material breach of my agreement(s) with the State of New Jersey and that the State at its option may declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print): _____ Signature _____

Title: _____ Date: _____

Name of Company: _____ City/State/Zip: _____

ETHICS IN PURCHASING

Statement to Vendors

School District Responsibility

Recommendation of Purchases

It is the desire of the Black Horse Pike Regional Board of Education to have all Board employees and officials practice exemplary ethical behavior in the procurement of goods, materials, supplies, and services.

School district officials and employees who recommend purchases shall not extend any favoritism to any vendor. Each recommended purchase should be based upon quality of the items, service, price, delivery, and other applicable factors in full compliance with N.J.S.A. 18A:18A-1 et.seq.

Solicitation/Receipt of Gifts – Prohibited

School district officials and employees are prohibited from soliciting and receiving funds, gifts, materials, goods, services, favors, and any other items of value from vendors doing business with the Black Horse Pike Regional Board of Education or anyone proposing to do business with the Black Horse Pike Regional School District.

Vendor Responsibility

Offer of Gifts, Gratuities -- Prohibited

Any vendor doing business or proposing to do business with the Black Horse Pike Regional School District, shall neither pay, offer to pay, either directly or indirectly, any fee, commission, or compensation, nor offer any gift, gratuity, or other thing of value of any kind to any official or employee of the Black Horse Pike Regional School District or to any member of the official's or employee's immediate family.

Vendor Influence -- Prohibited

No vendor shall cause to influence or attempt to cause to influence, any official or employee of the Black Horse Pike Regional School District, in any manner which might tend to impair the objectivity or independence of judgment of said official or employee.

Vendor Certification

Vendors or potential vendors will be asked to certify that no official or employee of the Black Horse Pike Regional Board of Education or immediate family members are directly or indirectly interested in this request or have any interest in any portions of profits thereof. The vendor participating in this request must be an independent vendor and not an official or employee of the Black Horse Pike Regional Board of Education.

Mrs. Jean Grubb
Business Administrator
Board Secretary
Purchasing Agent